



**BUREAU
VERITAS**

Certificate of Conformity

Certificate No.: 1988AP0424N048006

Equipment: SOLAR INVERTER

Brand Name:



Test Model No.:

HUAWEI
SUN2000-8KTL-M0, SUN2000-10KTL-M0, SUN2000-12KTL-M0,
SUN2000-15KTL-M0, SUN2000-17KTL-M0, SUN2000-20KTL-M0,
SUN2000-8KTL-M2, SUN2000-10KTL-M2, SUN2000-12KTL-M2,
SUN2000-15KTL-M2, SUN2000-17KTL-M2, SUN2000-20KTL-M2

Applicant:

Huawei Technologies Co., Ltd.

Administration Building, Headquarters of Huawei Technologies Co., Ltd.,
Bantian, Longgang District, Shenzhen, 518129, P.R.C

Report No.:

PVUK190424N048

Use in accordance with regulations:

Automatic disconnection device with three-phase mains surveillance in accordance with Engineering Recommendation G98/1 for photovoltaic systems with a three-phase parallel coupling via an inverter in the public mains supply. The automatic disconnection device is an integral part of the aforementioned inverter. This serves as a replacement for the disconnection device with isolating function that can access the distribution network provider at any time.

Applied rules and standards

Engineering Recommendation G98/1-3:2019

Requirements for the connection of Fully Type Tested Micro-generators (up to and including 16 A per phase) in parallel with public Low Voltage Distribution Networks.

DIN V VDE V 0126-1-1:2006-02 (Functional safety)

Automatic disconnection device between a generator and the public low-voltage grid

Name: James Huang
Technical Manager/ New Energy Team
Date: 2019-05-30

This document shall not be reproduced, except in full, without the written approval of
Bureau Veritas Shenzhen Co., Ltd. Dongguan Branch.
Information given in this document is related to the tested specimen of the described electrical sample.